Material Safety Data Sheet

UNIVERSAL SINGLE PLY SEALANT

MSDS No. 310131

Date of Preparation: 4/28/2008 Revision: 001

Section 1 - Chemical Product and Company Identification

Product/Chemical Name: Universal Single Ply Sealant Chemical Formula: Silvl Terminated Polyether

CAS Number: Other Designations:

General Use: Moisture Cure Sealant

Manufacturer: Versico LLC., P.O. Box 7000, 1285 Ritner Hwy, Carlisle, PA, 17013-0925 (717) 992-7663

Chemtrec (800) 424-9300

Section 2 - Hazards Identification

ልልልልል Emergency Overview ልልልልል

Warning – Causes mild skin irritation Warning – causes eye irritation

HMIS H F 0 R 0 PPE[†] †Sec. 8

Potential Health Effects

Routes of Entry: Dermal contact, Eye.

Acute Eye Contact: Direct contact can cause severe irritation. Acute Skin Contact: Direct contact may cause slight irritation.

Skin Absorption: Not Toxic.

Acute Inhalation: Product is extremely low in volatility and, therefore, not likely to pose a problem from inhalation.

Acute Ingestion: May be harmful if ingested, not a likely route of entry.

Chronic Effects of Exposure: Repeated or prolonged direct contact to the skin may cause dermatitis.

Medical Conditions Aggravated by exposure: Pre-existing skin and eye disorders may be aggravated by direct contact to this

Carcinogenicity: There are not components in this product that are listed as a carcinogen by NTP, IARC, ACGIH or OSHA.

Section 3 – Ingredient Information

	<u>U</u>			
Hazardous Ingr	edients	CAS Number	% wt	
Additional Ingredients		CAS Number	% wt	
Amino Silane		1760-24-3	1-5	

Section 4 - First Aid Measures

First Aid for Eyes: Flush with large amounts of water for at least 15 minutes. Consult a physician if ill effects or irritation

occurs.

First Aid for Skin: Clean product from affected area with Ethyl alcohol, then wash with soap and water.

First Aid for Inhalation: An unlikely route of entry. Remove to fresh air. Consult a physician.

First Aid for Ingestion: An unlikely route of entry. Consult a physician.

Section 5 - Fire-Fighting Measures

Flash Point: Not Applicable

Flash Point Method: Not Applicable **Autoignition Temperature:** Not Applicable

LEL: Not Applicable **UEL:** Not Applicable

Flammability Classification: Not considered flammable.

Extinguishing Media: Carbon Dioxide (CO₂), water, dry chemical, foam

Unsuitable Extinguishing Media:

Unusual Fire or Explosion Hazards: None known.

Hazardous Decomposition Products: Thermal decomposition may release toxic fumes of carbon monoxide and/or carbon

dioxide.



MSDS No. 310131

UNIVERSAL SINGLE PLY SEALANT

Fire-Fighting Procedures: Wear full protective clothing including helmet, self contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask and protective covering for exposed areas of the head.

Section 6 - Accidental Release Measures

Personal Precautions: Observe all personal protective equipment recommendations described in Sections 5 and 8.

Environmental Precautions: Disposal of collected product, residues and cleanup materials may be governmentally regulated.

Observe all applicable local, state and federal waste management regulations.

Spill /Leak Procedures: Collect spill with absorbent material such as cardboard and place into a container approved for waste disposal.

Section 7 - Handling and Storage

Handling: Use personal protection recommended in section 8. Avoid eye, skin and clothing contact.

Storage: Store in a cool dry area (this product polymerizes when in contact with moisture.)

Section 8 - Exposure Controls / Personal Protection

	OSHA PEL		ACGIH TLV		NIOSH REL		NIOSH
Ingredient	TWA	STEL	TWA	STEL	TWA	STEL	IDLH
Amino Silane	none estab.						

Exposure Guidelines: No established limits.

Engineering Controls: No specific controls are needed.

Personal Protective Equipment:

Eye Protection: Wear safety glasses or goggles to avoid eye contact.

Skin Protection: Wear impervious gloves such as vinyl to minimize contact with skin.

Respiratory Protection: Not required.

Work/Hygienic Practices: Avoid contact with eyes and skin. Wash thoroughly after handling and before eating or

drinking.

Section 9 - Physical and Chemical Properties

Physical State: Solid (Paste)

Appearance and Odor: Mild ester odor **Odor Threshold:** Not determined

Vapor Pressure: Not established

Vapor Density: > 1 Formula Weight: Density: 13.35 LBS/GAL

Specific Gravity (H₂O=1, at 4 $^{\circ}$ C): > 1

pH: Not established

Water Solubility: NIL Other Solubilities:

Boiling Point: Not established

Freezing/Melting Point: Not established

Viscosity: Greater than 800,000 cps at 77°F/25°C

Revision Date: 4/28/2008

Refractive Index: Surface Tension: % Volatile by Volume:

Evaporation Rate: Not applicable **Volatile Organic Content:** 0 g/L **Flash Point:** Not Applicable **Flash Point Method:** Not Applicable

Autoignition Temperature: Not Applicable **LEL:** Not Applicable

LEL: Not Applicable **UEL:** Not Applicable

Section 10 - Stability and Reactivity

Stability:. Stable

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Chemical Incompatibilities: None known

Conditions to Avoid: None known

Hazardous Decomposition Products: None known

Revision Date: 4/28/2008

UNIVERSAL SINGLE PLY SEALANT

MSDS No. 310131

Section 11- Toxicological Information

Toxicity Data:

Information below is based on Amino Silane (refer to sections 2 and 3).

Oral: Result: LD50 > 2,000 mg/kg. Remark: Very low order of toxicity.

Skin Absorbtion: Result: LD50 > 2,000 mg/kg. Remark: Very low order of toxicity.

Skin /Direct Contact: Result: Slight irritation.

Eye Direct Contact: Result: Severe irriation. Remark: Causes corneal injury.

Exposure Limits: Not Applicable.

Sensitization: No.

Reproductive Toxicity: No.

Mutagencity: No. **Teratogenicity:** No.

Synergistic Products: None.

Section 12 - Ecological Information

No known applicable information.

Section 13 - Disposal Considerations

Dispose in accordance with all local, state, and federal regulations.

Section 14 - Transport Information

Special Shipping Information: None.

DOT: Not regulated. **TDG:** Not available **PIN:** Not available.

Section 15 - Regulatory Information

OSHA 29 CFR 1910-1200: Irritant

TSCA: All components of this product are listed on TSCA inventory.

CERCLA Reportable Quantity: Not applicable.

SARA Title III:

Section 302 Extremely Hazardous Substances: None

Section 304: Not Applicable.

Section 311/312: Immediate (acute) health hazard.

Section 313: None.

RCRA: Refer to section 13.

California Proposition 65: This product contains no levels of listed substances which the state of California has found to

cause cancer, birth defects, or other reproductive harm.

WHMS Classification: D2B.

UNIVERSAL SINGLE PLY SEALANT Revision Date: 4/28/2008

Section 16 - Other Information Prepared By: Research and Development **Revision Notes:** Formatting Changes **Additional Hazard Rating Systems:** Disclaimer: The information contained in this document is based upon data that was supplied to Versico by other companies and organizations. No warranty of merchantability or fitness for a particular purpose is expressed or implied regarding the accuracy or completeness of the data and/or information in this material safety data sheet.