MATERIAL SAFETY DATA SHEET

Sika

Page 1 of 4

SIKALASTOMER 84, 93, AND 95

1. Product And Company Identification Supplier Manufacturer SIKA CORPORATION None Given 201 Polito Ave Lyndhurst, NJ 07071 Company Contact: Kristin Kelley **Telephone Number:** (201) 933-8800 FAX Number: (201) 933-9379 Web Site: www.sikausa.com Supplier Emergency Contacts & Phone Number Manufacturer Emergency Contacts & Phone Number CHEMTREC: 800-424-9300 None Given INTERNATIONAL: 703-527-3887

Issue Date: 04/23/1998

Product Name: SIKALASTOMER 84, 93, AND 95

CAS Number: Not Established
Chemical Family: BUTYL SEALANT
Chemical Formula: COMPLEX MIXTURE

MSDS Number: 788

Synonyms TC-095

2. Composition/Information On Ingredients			
Ingredient Name	CAS Number		Percent Of Total Weight
CALCIUM CARBONATE	1317-65-3		
CARBON BLACK	1333-86-4		
HYDRATED AMORPHOUS SILICA	63231-67-4		
TALC	14807-96-6		

3. Hazards Identification

Eye Hazards

EYE CONTACT UNLIKELY IN NORMAL USE BUT ACTS AS A MECHANICAL IRRITANT.

Skin Hazards

HAS NO TOXIC OR INFLAMMATORY EFFECT ON SKIN. HAS NO SENSITIZING EFFECT.

Ingestion Hazards

NOT NORMALLY INGESTED IN INDUSTRIAL USE. INGESTION MAY CAUSE SLIGHT GASTRO-INTESTINAL DISCOMFORT.

Inhalation Hazards

NO INHALATION EFFECTS ARE KNOWN OR HAVE EVER BEEN REPORTED.

4. First Aid Measures

Eye

RINSE EYES THOROUGHLY WITH WATER FOR AT LEAST 15 MINUTES. CONSULT PHYSICIAN.

SIKALASTOMER 84, 93, AND 95

4. First Aid Measures - Continued

Skin

NONE REQUIRED. IN ACCORDANCE WITH GOOD HYGIENIC PRACTICE, WASH WITH SOAP AND WATER AFTER USE.

Ingestion

IF INGESTED, DO NOT INDUCE VOMITING. IF DISCOMFORT PERSISTS, CALL A PHYSICIAN.

Inhalation

REMOVE TO FRESH AIR. IF BREATHING HAS STOPPED, INSTITUTE ARTIFICIAL RESPIRATION. CONSULT WITH PHYSICIAN.

5. Fire Fighting Measures

Flash Point: 400 °F 204 °C
Flash Point Method: PMCC
Autoignition Point: UNKNOWN °F
Flammability Class: NCMB
Lower Explosive Limit: N/AP
Upper Explosive Limit: N/AP

Fire And Explosion Hazards

NONE KNOWN

Extinguishing Media

CARBON DIOXIDE, WATER, DRY CHEMICAL OR FOAM, AS FOR SURROUNDING FIRES.

Fire Fighting Instructions

WEAR NIOSH/MSHA APPROVED SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR, AS FOR SURROUNDING FIRES.

6. Accidental Release Measures

PICK OR SCRAPE UP MATERIAL AND PLACE IN SUITABLE CONTAINER FOR DISPOSAL. CLEAN AREA WITH A NON-FLAMMABLE SOLVENT.

7. Handling And Storage

Handling And Storage Precautions

STORE IN COOL DRY PLACE.

KEEP OUT OF REACH OF CHILDREN.

FOR INDUSTRIAL USE ONLY.

8. Exposure Controls/Personal Protection

Engineering Controls

NO SPECIAL VENTILATION REQUIRED.

Eye/Face Protection

NONE REQUIRED

Skin Protection

NONE REQUIRED

Respiratory Protection

NONE REQUIRED

Other/General Protection

AS REQUIRED BY YOUR COMPANY

Ingredient(s) - Exposure Limits

CALCIUM CARBONATE

ACGIH TLV-TWA: 10 MG/M3

SIKALASTOMER 84, 93, AND 95

8. Exposure Controls/Personal Protection - Continued

Ingredient(s) - Exposure Limits - Continued

OSHA TRANS. PEL-TWA: 5 MG/M3

NTP N/AP IARC N/AP CARBON BLACK

> ACGIH TLV-TWA: 3.5 MG/M3 OSHA PEL-TWA: 3.5 MG/M3

NTP N/AP IARC N/AP

HYDRATED AMORPHOUS SILICA

ACGIH N/E

OSHA PEL-TWA: 15 MG/M3

NTP N/AP IARC N/AP

TALC

ACGIH TLV-TWA: 2 MG/M3 OSHA PEL-TWA: 20 MPPCF

NTP N/AP IARC N/AP

9. Physical And Chemical Properties

Appearance

OFF-WHITE, BLACK OR GRAY TACKY SOLID

Odor

NO ODOR

Chemical Type: Pure Melting Point: N/AP °F Boiling Point: N/AP °F Specific Gravity: 1.35 Molecular Weight: 0.00 Percent VOCs: 0.00 Vapor Pressure: N/AP Vapor Density: N/AP Solubility: INSOLUBLE Evaporation Rate: N/AP

10. Stability And Reactivity

Stability: STABLE

Hazardous Polymerization: WILL NOT OCCUR

Conditions To Avoid (Stability)

NONE KNOWN

Incompatible Materials

STRONG OXIDIZERS

Hazardous Decomposition Products

CARBON MONOXIDE, CARBON DIOXIDE AND HYDROCARBONS UPON

COMBUSTION.

Conditions To Avoid (Polymerization)

NONE KNOWN

SIKALASTOMER 84, 93, AND 95

11. Toxicological Information

Miscellaneous Toxicological Information

NONE KNOWN

Conditions Aggravated By Exposure

NONE KNOWN

12. Ecological Information

No Data Available...

13. Disposal Considerations

DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

14. Transport Information

Proper Shipping Name

SIKALASTOMER 84, 93 AND 95

Hazard Class

NOT DOT REGULATED

15. Regulatory Information

No Data Available...

16. Other Information

HMIS Rating

Health: 0 Fire: 1

Reactivity: 0

Disclaimer

The data in this Material Safety Data Sheet relates only to the specific material herein and does not relate to use in combination with any other materialor in any process. The information set forth herein is based on technical da ta that Sika believes to be reliable as of the date hereof. Since conditions of use are outside our control, we make no warranties, express or implied and assume no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under or a recommendation to infringe any patents.

SIKA CORPORATION

Printed Using MSDS Generator™ 2000